


# Oral Surgery Burs


## Sterile Shank Options

### Hall® HP Shanks


**Shank #1** Fits Hall® Handpiece for Medium Bur Guard & Bien-Air® Attachments




**Shank #2** Fits Hall® Handpiece for Medium Bur Guard



**Shank #3** Fits Hall® Handpiece for Long Bur Guard




**Shank #7** Fits Hall® Handpiece for Long Bur Guard




### Stryker® Shanks


**Shank #4** Fits Stryker® Impaction & 100K Drills



**Shank #5** Fits Stryker® Impaction & 100K Drills




**Shank #6** Fits Stryker® 50K & Osteotome Drill





## Non-Sterile Shank Options




**Hall® HP Shank** Fits Hall® Handpiece for Medium Bur Guard



**Right-Angle Latch**




**Friction Grip**



## Round


### H1



Us No.	2	4	5	6	8	10
Head Size (1/10 mm)	010	014	016	018	023	027
<b>Hall® HP Shank</b>						
Shank #1	✓	✓	✓	✓	✓	✓
Shank #2				✓	✓	
Shank #3				✓	✓	
Shank #7				✓	✓	
<b>Stryker® Shank</b>						
Shank #4				✓	✓	
Shank #5				✓	✓	
Shank #6				✓	✓	
<b>Friction Grip</b>						
36- FG/Surg (25mm)	✓	✓	✓	✓	✓	✓
30- FG/Surg (30mm)		✓		✓		

## Super Sharp Round


### H1S



Us No.	2S	4S	6S	8S
Head Size (1/10 mm)	010	014	018	023
<b>Hall® HP Shank</b>				
Shank #1	✓	✓	✓	✓
Shank #2				✓
Shank #3				✓
Shank #7				✓
<b>Stryker® Shank</b>				
Shank #4				✓
Shank #5				✓
Shank #6				✓

Bien-Air® is a registered trademark of Bien-Air Corporation.  
Hall® is a registered trademark of CONMED Corporation.  
Stryker® is a registered trademark of Stryker Corporation.


## Flat-End Taper Cross-Cut Fissure



### H33

Us No.	701	702	703
Head Size (1/10 mm)	012	016	021
Cutting Length (mm)	4.2	4.4	4.8
<b>Hall® HP Shank</b>			
Shank #1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Shank #2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Shank #3	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Shank #7	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>Stryker® Shank</b>			
Shank #4	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Shank #5	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Shank #6	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<b>Friction Grip</b>			
36- FG/Surg (25mm)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>


## Long Flat-End Taper Cross-Cut Fissure



### H33L

Us No.	701L	702L	703L
Head Size (1/10 mm)	012	016	021
Cutting Length (mm)	6.0	6.0	7.5
<b>Hall® HP Shank</b>			
Shank #1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Shank #2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Shank #3	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Shank #7	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<b>Stryker® Shank</b>			
Shank #4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Shank #5	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Shank #6	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>Friction Grip</b>			
36- FG/Surg (25mm)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

## Long Round-End Taper Cross-Cut Fissure



### H33LR

Us No.	1703L	1703LSC
Head Size (1/10 mm)	021	021
Cutting Length (mm)	7.5	7.5
<b>Hall® HP Shank</b>		
Shank #1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Shank #2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Shank #3	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Shank #7	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Stryker® Shank</b>		
Shank #4	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Shank #5	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Shank #6	<input checked="" type="checkbox"/>	<input type="checkbox"/>

## Super Sharp Round-End Taper Cross-Cut Fissure



### H33RS

Us No.	1703S
Head Size (1/10 mm)	021
Cutting Length (mm)	4.8
<b>Hall® HP Shank</b>	
Shank #1	<input checked="" type="checkbox"/>
Shank #2	<input checked="" type="checkbox"/>
<b>Stryker® Shank</b>	
Shank #4	<input checked="" type="checkbox"/>
Shank #5	<input checked="" type="checkbox"/>
<b>Friction Grip</b>	
36- FG/Surg (25mm)	<input checked="" type="checkbox"/>

## E-Cutters® for Tori Removal



### H73E

Head Size (1/10 mm)	040
Cutting Length (mm)	6.0
<b>Hall® HP Shank</b>	
11 - HP (44.5mm)	<input checked="" type="checkbox"/>



### H77E

Head Size (1/10 mm)	040
Cutting Length (mm)	9.0
<b>Hall® HP Shank</b>	
11 - HP (44.5mm)	<input checked="" type="checkbox"/>



### H251E


Head Size (1/10 mm)	040
Cutting Length (mm)	9.0
<b>Hall® HP Shank</b>	
11 - HP (44.5mm)	<input checked="" type="checkbox"/>



### H351E


Head Size (1/10 mm)	040
Cutting Length (mm)	8.0
<b>Hall® HP Shank</b>	
11 - HP (44.5mm)	<input checked="" type="checkbox"/>

## Oval Burs for Tori Removal



Us No.	C0901	C0905
Head Size ( $\frac{1}{10}$ mm)	040	055
Cutting Length (mm)	8.0	6.0
<b>Hall® HP Shanks</b>		
Shank #1	03-C0901	03-C0905
Shank #7	09-C0901	09-C0905
<b>Stryker® Shank</b>		
Shank #4	KM94901N	-
Shank #5	KM95901N	-
Shank #6	14-C0901	14-C0905

## All Port Bone Cutter



### H141

Head Size ( $\frac{1}{10}$ mm)	031	040	050
Cutting Length (mm)	-	-	
<b>Right-Angle Latch</b>			
24 - RA/Surg (26 mm)		✓	
<b>Hall® HP Shanks</b>			
11 - HP (44.5 mm)	✓		✓

## Serrated Bone Cutters



### H162A

Head Size ( $\frac{1}{10}$ mm)	016
Cutting Length (mm)	9.0
<b>Friction Grip</b>	
31 - FG (19 mm)	✓
<b>Hall® HP Shanks</b>	
11 - HP (44.5 mm)	✓



### H162

Head Size ( $\frac{1}{10}$ mm)	016
Cutting Length (mm)	9.0
<b>Friction Grip</b>	
31 - FG (19 mm)	✓
<b>Right-Angle Latch</b>	
21 - RA (22 mm)	✓
24 - RA/Surg (26 mm)	✓
<b>Hall® HP Shanks</b>	
11 - HP (44.5 mm)	✓

## Bone Cutters



### H161

Head Size ( $\frac{1}{10}$ mm)	016
Cutting Length (mm)	9.0
<b>Friction Grip</b>	
31 - FG (19 mm)	✓
<b>Right-Angle Latch</b>	
24 - RA/Surg (26 mm)	✓
<b>Hall® HP Shanks</b>	
11 - HP (44.5 mm)	✓



### H267

Head Size ( $\frac{1}{10}$ mm)	016
Cutting Length (mm)	9.0
<b>Friction Grip</b>	
31 - FG (19 mm)	✓



### H269

Head Size ( $\frac{1}{10}$ mm)	016
Cutting Length (mm)	11.0
<b>Friction Grip</b>	
31 - FG (19 mm)	✓

